



MATERIAL SAFETY DATA SHEET

RAM Petrolatum Mastic M

PRODUCT IDENTIFICATION

- MANUFACTURER'S NAME: Australasian Industrial Wrappings & Coatings P/L
- REGULAR TELEPHONE NUMBER: 02 9608 8111
- EMERGENCY TELEPHONE NUMBER: 0419 242 638
- FACSIMILE NUMBER: 02 8783 7055
- ADDRESS: 49 JEDDA ROAD, PRESTONS NSW 2170
- PRODUCT NAME: **RAM MASTIC M**
- SYNONYMS:
- MANUFACTURER'S CODE: 201 - - -
- USES: Filler, Mastic.

HAZARDS IDENTIFICATION

Not classified as hazardous according to safe work Australia criteria.

Not classified as a dangerous good by the criteria of the ADG code.

UN No: None allocated.

DG Class: None allocated.

Subsidiary Risks: None allocated.

Packing Group: None allocated.

Hazchem Code: None allocated.

COMPOSITION/ INFORMATION ON INGREDIENTS.

| Ingredients | Formula | CAS. No | Content. |
|-------------|----------------|---------------|----------|
| PETROLATUM | NOT AVAILABLE. | NOT AVAILABLE | ➤ 60% |

FIRST AID MEASURES

EYE: If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poison Information Centre, a doctor, or for at least 15 minutes.

Inhalation: If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin: If contact with hot material occurs, drench area immediately with cold water. DO NOT attempt to remove material adheres to the skin. Seek immediate medical attention

Ingestion: For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting. Ingestion is considered unlikely due to product form.

Advice to doctor: Treat sympathetically.

FIRE FIGHTING MEASURES

Flammability: Combustible. May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition.

Fire and Explosion: Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self contained breathing apparatus (SCBA) when combating fire. Use water fog to cool intact containers and nearby storage areas.

Extinguishing: Dry agent, carbon dioxide or foam. Prevent contamination of drains and water ways.

Hazchem Code: None allocated.

ACCIDENTAL RELEASE MEASURES.

Spillage: If spilt, collect and reuse where possible. Use personal protective equipment. Contain spillage, then collect and place in suitable containers for disposal. Prevent spill entering drains or water ways.

STORAGE AND HANDLING

Storage: Store in a cool, dry, well ventilated area where possible. Use personal protective equipment. Contain spillage, then collect and place in suitable containers for disposal. Prevent spill entering drains or waterways.

Handling: Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking, smoking in contaminated areas.

EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Stds: No exposure standards allocated.

Biological Limits: No biological limit allocated.

Engineering Controls: Avoid inhalation. Use in well ventilated areas.

PPE: Wear splash – proof goggles. When using large quantities or where heavy contamination is likely, wear: coveralls. Individuals with sensitive skin should consider wearing; PVC or rubber gloves.

PHYSICAL AND CHEMICAL PROPERTIES.

Appearance: DARK BROWN PUTTY

Solubility (water): INSOLUBLE

Odour: MILD ODOUR

Specific Gravity: 1.05

| | | | |
|-------------------------------|---------------|-----------------------------------|---------------|
| Ph: | NEUTRAL | % Volatiles: | NOT AVAILABLE |
| Vapour Pressure: | NOT AVAILABLE | Flammability: | COMBUSTIBLE |
| Vapour Density: | NOT AVAILABLE | Flash Point: | 240°C (oc) |
| Boiling Point: | NOT AVAILABLE | Upper Explosion Limit: | NOT AVAILABLE |
| Melting Point: | NOT AVAILABLE | Lower Explosion Limit: | NOT AVAILABLE |
| Evaporation Rate: | NOT AVAILABLE | Auto-ignition Temperature: | NOT AVAILABLE |
| Partition Coefficient: | NOT AVAILABLE | Decomposition Temperature: | NOT AVAILABLE |
| Viscosity: | NOT AVAILABLE | | |

STABILITY AND REACTIVITY:

| | |
|--|--|
| Chemical Stability: | Stable under recommended conditions of storage. |
| Conditions to avoid: | Avoid shock, friction, heavy impact, heat, sparks, open flames and other ignition sources. |
| Material to Avoid | Incompatible with oxidising agents and acids. (eg. Nitric acid) |
| Hazardous Decomposition Products: | May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition. |
| Hazardous Reactions: | Polymerization is not expected to occur. |

TOXICOLOGICAL INFORMATION:

| | |
|-------------------------------|---|
| Health Hazard Summary: | Non- irritant – low toxicity. When in the solid or semi solid form, no adverse health effects are anticipated. If heated, direct contact with the molten material may result in burns. Use safe work practices to avoid eye or skin contact and inhalation. |
| Eye: | Low to moderate irritant. Contact may result in irritation, lacrimation, pain and redness. |
| Inhalation: | Not irritant. In solid/ semi solid form, an inhalation hazard is not anticipated. Over exposure to fumes (if heated) may result in irritation of the nose and throat, with nausea and headache. |
| Skin: | Low irritant, prolonged or repeated contact may result in mild irritation. |
| Ingestion: | Low toxicity. Ingestion may result in gastrointestinal irritation. However, due to product form ingestion is considered unlikely. Maintain good personal hygiene standards. |
| Toxicity Data: | PETROLATUM (Not available) - LD50 (Intraperitoneal): > 50g/kg (mouse) |

ECOLOGICAL INFORMATION:

Environment: Limited ecotoxicity data was available for this product at the time this report was prepared. Ensure appropriate measures are taken to prevent this product from entering the environment.

DISPOSAL CONSIDERATIONS

Water Disposal: Reuse where possible. Alternatively, absorb with sand or similar and dispose of to an approved landfill site. Contact the manufacturer for additional information.

Legislation: Dispose of in accordance with relevant local legislation.

TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE.

Shipping Name: None allocated. **UN N.O:** None allocated.

Packing Group: None allocated. **DG. Class:**None allocated

Hazchem Code: None allocated **Subsidiary Risks:** None allocated

REGULATORY INFORMATION

Poison Schedule: A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

AICS: All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

OTHER HANDLING AND STORAGE

REQUIREMENTS: Store in original packaging in a cool place away from boilers or heaters

PREPARED BY: Roger McElhone

ADDRESS: 49 JEDDA RD, PRESTONS NSW 2170

DATE: 7TH OCTOBER 2013



AUSTRALASIAN INDUSTRIAL WRAPPINGS AND COATINGS PTY LTD
49 JEDDA ROAD PRESTONS 2171 NSW AUSTRALIA

TEL : 02 9608 8111

FAX : 02 8783 7055

EMAIL: enquiries@aiwc.com.au

WEB: www.aiwc.com.au

