



MATERIAL SAFETY DATA SHEET

RAM Petrolatum Primer

PRODUCT IDENTIFICATION

- MANUFACTURER'S NAME: Australasian Industrial Wrappings & Coatings P/L
- REGULAR TELEPHONE NUMBER: 02 9608 8111
- EMERGENCY TELEPHONE NUMBER: 0419 242 638
- FACSIMILE NUMBER: 02 8783 7055
- ADDRESS: 49 JEDDA ROAD, PRESTONS NSW 2170
- PRODUCT NAME: **RAM PETROLATUM PRIMER**
- SYNONYMS:
- MANUFACTURER'S CODE: 100 - - -
- USES: Corrosion Inhibitor. Primer.

HAZARD IDENTIFICATION

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA.

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE.

UN.No: None allocated. **DG Class:** None allocated **Subsidiary Risk:** None allocated.

Packing Group: None allocated **Hazchem Code:** None allocated.

COMPOSITION/ INFORMATION ON INGREDIENTS

INGREDIENT	FORMULA	CAS No.	CONTENT
PETROLATUM WAX	NOT AVAILABLE	NOT AVAILABLE	>60%
FILLER	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE
INHIBITORS	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE

FIRST AID MEASURES

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poison Information Centre, a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a poison Information Centre pr a doctor.

Ingestion For advice contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed do not induce vomiting.

Advice to Doctor Treat Sympathetically.

FIRE FIGHTING MEASURES

Flammability Combustible. May evolve toxic gases (Carbon oxides, hydrocarbons) when heated to decomposition.

Fire and Explosion Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use water fog to cool intact containers and nearby storage areas.

Extinguishing Dry agent, carbon dioxide or foam. Prevent contamination of drains or waterways.

Hazchem Code None allocated.

ACCIDENTAL RELEASE MEASURES

Spillage Contact emergency services where appropriate. Use personal protective equipment. Clear area of all unprotected personnel. Ventilate area where possible. Contain spillage, then cover/ absorb spill with non – combustible absorbent material (vermiculite, sand or similar), collect and place in suitable containers for disposal. CAUTION: Spill site may be slippery.

STORAGE AND HANDLING

Storage Store in cool, dry well ventilated area, removed from oxidising agents, acids, heat or ignition sources and food stuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Large storage areas should have appropriate ventilation system. Store as a Class C1 Combustible Liquid (AS1940). Also store removed from aromatic solvents.

Handling Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personnel hygiene. Including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Stds

Ingredient	Reference	TWA	STEL
Paraffin wax (fume)	ASCC (AUS)	- 2mg/m3	- -

Biological Limits No biological limit allocated.

Engineering Controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

PPE Wear splash-proof goggles and nitrile or neoprene gloves. When using large quantities or where heavy contamination is likely, wear: coneralla. Where an inhalation risk exists, wear: a Type A (Organic vapour) respiration.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Green or brown grease	Solubility (water)	Insoluble
Odour	Slight odour	Specific Gravity	1.1 (Approx)
Ph	Not available	% Volatiles	0%
Vapour Pressure	Not available	Flammability	Class C2 Combustible
Vapour Density	Not available	Flash Point	>180 °C
Boiling Point	Not available	Upper Explosion Limit	Not available
Evaporation Rate	Not available		

STABILITY AND REACTIVITY

Chemical Stability	Stable under recommended conditions of storage.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources.
Material to avoid	Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid), heat and ignition sources. Also incompatible with aromatic solvents.
Hazardous Decomposition	May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition.
Hazardous Reactions	Polymerization is not expected to occur.

TOXICOLOGY INFORMATION

Health Hazard Summary	Low toxicity. This product has the potential to cause adverse health effects with direct eye contact, prolonged skin contact or vapour inhalation in poorly ventilated areas. Use safe work practices to avoid eye contact and vapour generation – inhalation.
Eye	Low to moderate irritant. Contact may result in irritation, lacrimation, pain and redness.
Inhalation	Low to moderate irritant. Over exposure may result in irritation of the nose and throat, coughing, dizziness and headache.
Skin	Irritant. Contact may result in drying and defatting of the skin, rash and dermatitis.
Ingestion	Low toxicity. Ingestion of large quantities may result in nausea, vomiting, abdominal pain, diarrhoea and drowsiness. Aspiration may result in chemical pneumonitis and pulmonary oedema.
Toxicity Data	No LD50 data available for this product.

ECOLOGICAL INFORMATION

Environment	Limited ecotoxicity data was available for this product at the time this report was prepared. Ensure appropriate measures are taken to prevent this product from entering the environment.
--------------------	--

DISPOSAL CONSIDERATIONS

Waste Disposal For small amounts absorb with sand, vermiculite or similar and dispose of to an approved landfill site. Contact the manufacturer for additional information if larger amounts are involved. Prevent contamination of drains and waterways as aquatic life may be threatened and environmental damage may result.

Legislation Dispose of in accordance with relevant local legislation.

TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE.

Shipping Name: None allocated **UN No.** None allocated **Packing Group:** None allocated

DG Class: None allocated **Hazchem code:** None allocated **Subsidiary Risk:** None allocated

REGULATORY INFORMATION

Poison Schedule A poison schedule number has not been allocated to this product using the criteria in the standard for the uniform scheduling of drugs and poisons (SUSDP).

AICS All chemicals listed on the Australian Inventory of Chemical Substances (AICS)

OTHER HANDLING AND STORAGE

REQUIREMENTS: Store in original packaging in a cool place away from boilers or heaters

PREPARED BY: Roger McElhone

ADDRESS: 49 JEDDA ROAD, PRESTONS NSW 2170

DATE: 10th December 2014



AUSTRALASIAN INDUSTRIAL WRAPPINGS AND COATINGS PTY LTD
49 JEDDA ROAD, PRESTONS 2170 NSW AUSTRALIA

TEL : 02 9608 8111

FAX : 02 8783 7055

EMAIL: enquiries@aiwc.com.au

WEB: www.aiwc.com.au

