



MATERIAL SAFETY DATA SHEET

FLEXI SEAL 1000

PRODUCT IDENTIFICATION

- MANUFACTURER'S NAME: Australasian Industrial Wrappings & Coatings P/L
- REGULAR TELEPHONE NUMBER: 02 9608 8111
- EMERGENCY TELEPHONE NUMBER: 0419 242 638
- FACSIMILE NUMBER: 02 8783 7055
- ADDRESS: 49 JEDDA ROAD, PRESTONS NSW 2170
- PRODUCT NAME: FLEXI SEAL 1000
- SYNONYMS: Flexi Seal Tape
- MANUFACTURER'S CODE: 701- - -

INGREDIENTS

- MATERIAL OR COMPONENT: NIL
- PERCENTAGE: NIL
- HAZARD DATA: n/a

PHYSIAL DATA

- CHEMICAL ENITY: Polythene Sheet with SBS/ Bitumen/ Polyisobutylene compound adhesive.
- BOILING POINT: n/a
- SPECIFIC GRAVITY [H2 O.1]: n/a
- VAPOUR DENSITY [AIR.1]: n/a
- % VOLATILES BY VOLUME: <1
- APPEARANCE AND ODOUR: Black solid tape with no odour
- MELTING POINT:[] VAPOUR PRESSURE: 98°C
- SOLUBILITY IN H2O[% BY WT]: n/a
- EVAPORATION RATE [BUTYL ACETATE.1]: n/a
- FLAMM. LIMIT LEL: n/a

FIRE AND EXPLOSION DATA

- FLAMMABLE LIMITS IN AIR % BY VOLUME: 250°C
- EXTINGUISHING MEDIA: Carbon Dioxide, dry powder, chemical foam
- SPECIAL FIRE FIGHTING PROCEDURES: None known
- UNUSUAL FIRE AND EXPLOSION HAZARD: None known

AUSTRALASIAN INDUSTRIAL WRAPPINGS AND COATINGS PTY LTD

49 JEDDA ROAD PRESTONS, NSW, 2171, AUSTRALIA

TEL: +61 2 9608 8111. FAX: +61 2 87873 7055

EMAIL: enquiries@aiwc.com.au. WEB: www.aiwc.com.au





MATERIAL SAFETY DATA SHEET

FLEXI SEAL 1000

HEALTH & HAZARD INFORMATION

HEALTH HAZARD DATA:

ROUTES OF EXPOSURE: No data supplied

INHALATION: No adverse effects expected

SKIN CONTACT: Contact with skin may result in irritation

SKIN ABSORPTION: n/a

EYE CONTACT: May cause irritation

INGESTION: No acutely toxic

EFFECTS OF OVER-EXPOSURE: n/a

ACUTE OVEREXPOSURE: n/a

CHRONIC OVER-EXPOSURE: n/a

EMERGENCY AND FIRST AID PROCEDURES:

EYES: Irrigate thoroughly with water

SKIN: Wash thoroughly with soap and water

INHALATION: n/a

INGESTION: Do not induce vomiting

NOTES TO PHYSICIAN: Treat with sympathy

SPILL OR LEAK DATA

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: n/a

NEUTRALIZING CHEMICALS: n/a

WASTE DISPOSAL METHOD: No data supplied

SPECIAL PROTECTION INFORMATION

VENTILATION REQUIREMENTS: No special requirements

SPECIFIC PERSONAL PROTECTIVE EQUIPMENT: None

RESPIRATORY [SPECIFY IN DETAIL]: n/a

EYE: n/a

GLOVES: Recommended for prolonged or repeated handling. Grease resistant

OTHER CLOTHING AND EQUIPMENT:

REACTIVITY DATA

CONDITIONS CONTRIBUTING TO INSTABILITY: None known

INCOMPATIBILITY: n/a

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon dioxide, carbon monoxide, oil fume

AUSTRALASIAN INDUSTRIAL WRAPPINGS AND COATINGS PTY LTD

49 JEDDA ROAD PRESTONS, NSW, 2171, AUSTRALIA

TEL: +61 2 9608 8111. FAX: +61 2 87873 7055

EMAIL: enquiries@aiwc.com.au. WEB: www.aiwc.com.au





MATERIAL SAFETY DATA SHEET

FLEXI SEAL 1000

SPECIAL PRECAUTIONS

PRECAUTIONARY STATEMENTS: FLEXI SEAL 1000 contains petroleum based products which may affect the skin.

USERS ARE RECOMMENDED TO: Wash thoroughly after use and before work breaks to remove compound from the skin.

Do not use paraffin or other solvents to clean the skin.

Change clothing when soiled.

OTHER HANDLING AND STORAGE

REQUIREMENTS: Store in original packaging in a cool place away from boilers or heaters.

PREPARED BY: Roger Mcelhone

ADDRESS: 49 Jedda Road, Prestons, NSW, 2170

DATE: 1st August 2016

AUSTRALASIAN INDUSTRIAL WRAPPINGS AND COATINGS PTY LTD

49 JEDDA ROAD PRESTONS, NSW, 2171, AUSTRALIA

TEL: +61 2 9608 8111. FAX: +61 2 87873 7055

EMAIL: enquiries@aiwc.com.au. WEB: www.aiwc.com.au

