

EXTRALIGHT MASTIC

PRODUCT IDENTIFICATION

• MANUFACTURER'S NAME: Australasian Industrial Wrappings & Coatings P/L

REGULAR TELEPHONE NUMBER: 02 9608 8111
EMERGENCY TELEPHONE NUMBER: 0419 242 638
FACSIMILE NUMBER: 02 8783 7055

• ADDRESS: 49 JEDDA ROAD, PRESTONS NSW 2170

• PRODUCT NAME: **EXTRALIGHT MASTIC**

SYNONYMS:

• MANUFACTURER'S CODE:

USES: Corrosion Inhibitor. Primer.

HAZARD IDENTIFICTATION

NOT CLASSIFIED AS HAZARDOUS ACCORDINGING TO SAFE WORK AUSTRALIA CRITERIA.

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE.

UN.No: None allocated.

DG Class: None allocated

Subsidiary Risk: None allocated.

Packing Group: None allocated

Hazchem Code: None allocated.

COMPOSITION/ INFORMATION ON INGREDIENTS

FIRST AID MEASURES

General advice: Seek medical advice. If breathing has stopped or is labored, give assisted respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention.

Skin contact: Wash with soap and water. In the event of any complaints or symptoms, avoid

AUSTRALASIAN INDUSTRIAL WRAPPINGS & COATINGS PTY LTD

ADDRESS: 49 Jedda Road, Prestons 2170 NSW Australia

TELEPHONE: 02 9608 8111 FAX: 02 8783 7055





EXTRALIGHT MASTIC

further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. For contact with hot product, flush contaminated skin with large amounts of cold water to dissipate heat. Cover with clean cotton sheeting or gauze. Get medical attention immediately.

Ingestion: Wash out mouth with water. If material has been swallowed and the exposure person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Inhalation: Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt, or waistband.

Most important symptoms and effects, both acute and delayed **Eye contact** May cause irritation to eyes. **Skin contact** May cause irritation to skin.

FIRE FIGHTING MEASURES

Suitable extinguishing media: Alcohol-resistant foam, Carbon dioxide (CO2), Dry chemical, Dry sand, Limestone powder. Do not use a solid water stream as it may scatter and spread fire. Do not flush into surface water.

Specific hazards: Decomposition products may include the following materials: carbon dioxides. Downwind personnel must be evacuated. Burning produces noxious and toxic fumes.

Special protective equipment for fire-fighters: Fire-fighters should wear appropriate personal protective equipment and self contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

ACCIDENTAL RELEASE MEASURES

Personal precautions: No action shall be taken involving any personal risk or without suitable training. As this product is a paste, simply wear protective gloves and recover material from release area.

Environmental Precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

AUSTRALASIAN INDUSTRIAL WRAPPINGS & COATINGS PTY LTD

ADDRESS: 49 Jedda Road, Prestons 2170 NSW Australia

TELEPHONE: 02 9608 8111

FAX: 02 8783 7055





EXTRALIGHT MASTIC

Methods for cleaning up: Prevent entry into sewers or water courses. Collect spillage.

STORAGE AND HANDLING

Handling: Put on appropriate personal protective equipment. Adopt best manual handling practices when handling, carrying and dispensing.

Storage: Store in accordance with local regulations. Store in original container protected from direct sunlight in a cool area, away from sparks, flames, heat and sources of ignition.

Exposure Stds

Control parameters

- Exposure Limit Values: Not regulated.

Control measures / Personal Protection

Recommended monitoring procedures: None required.

Engineering measures None required.

Hygiene measures: Wash hands, forearms, and face after handling chemical products, before eating, smoking or using the lavatory and at the end of the working period.

Respiratory protection: None required.

Eye protection: None required.

Skin protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. This equipment may include, but is not limited to, impervious gloves. The breakthrough time of the selected protective glove(s) must be greater than the intended use period.

Environmental exposure controls: None required.

PHYSICAL AND CHEMICAL PROPERTIES

Self supporting compound that does not harden. Conforms to irregular shapes and profiles. Chemically inert and resistant to moisture.

Specific Gravity: 0.5 Approximately

Weight: 3L Block (min), 10L Pail or 20L Pail Flash Point 195 °C

AUSTRALASIAN INDUSTRIAL WRAPPINGS & COATINGS PTY LTD

ADDRESS: 49 Jedda Road, Prestons 2170 NSW Australia

TELEPHONE: 02 9608 8111

FAX: 02 8783 7055





EXTRALIGHT MASTIC

Drop Melting Point: 90 °C

Colour: Pale Brown

VOC Content: None

STABILITY AND REACTIVITY

Stability The product is stable. Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to avoid Stable under normal conditions.

Materials to avoid: Keep away from food, drink and animal foodstuffs.

Other hazards: Keep away from heat, sparks, and open flames.

Hazardous decomposition products: Will not decompose if stored and used as recommended. If decomposition occurs, products may include the following materials: Carbon oxides.

TOXICOLOGY INFORMATION

Acute health hazard Product:

Acute oral toxicity: ND **Acute dermal toxicity**: ND

Skin corrosion or irritation: None expected, but may be irritating to skin in susceptible persons. **Serious eye damage or irritation**: None expected, but may be irritating to the eye in susceptible persons if direct contact occurs.

Respiratory or skin sensitization: None expected.

Germ cell mutagenicity: Not likely to have significant mutagenic effects based on components. **Carcinogenicity**: Not likely to be classifiable as a human carcinogen based on components. **Reproductive toxicity**: Not likely to have adverse effects on sexual function, fertility, and/or on development based on components.

STOT - **single exposure:** None known, but irritation to skin and eyes is possible in susceptible persons

STOT - **repeated exposure**: None known, but irritation to skin and eyes is possible in susceptible persons.

Repeated dose toxicity: None known. **Aspiration toxicity**: None known

Further information: Likely routes of exposure - skin and eye contact.

ECOLOGICAL INFORMATION

Environment Limited ecotoxicity data was available for this product at the time

this report was prepared. Ensure appropriate measures are taken to prevent this product from entering the environment.

AUSTRALASIAN INDUSTRIAL WRAPPINGS & COATINGS PTY LTD

ADDRESS: 49 Jedda Road, Prestons 2170 NSW Australia

TELEPHONE: 02 9608 8111 FAX: 02 8783 7055





EXTRALIGHT MASTIC

DISPOSAL CONSIDERATIONS

Waste Disposal For small amounts absorb with sand, vermiculite or similar and dispose of

to an approved landfill site. Contact the manufacturer for additional information if larger amounts are involved. Prevent contamination of drains and waterways as aquatic life may be threatened and environmental

damage may result.

Legislation Dispose of in accordance with relevant local legislation.

TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE.

Shipping Name: None allocated

UN No. None allocated

Packing Group: None allocated

DG Class: None allocated

Hazchem code: None allocated

Subsidiary Risk: None allocated

REGULATORY INFORMATION

Poison Schedule A poison schedule number has not been allocated to this product using

the criteria in the standard for the uniform scheduling of drugs and poisons

(SUSDP).

AICS All chemicals listed on the Australian Inventory of Chemical Substances

(AICS)

OTHER HANDLING AND STORAGE

REQUIREMENTS: Store in original packaging in a cool place away from

boilers or heaters

PREPARED BY: Roger McElhone

ADDRESS: 49 Jedda Road Prestons NSW 2170

DATE: 1st December 2020

AUSTRALASIAN INDUSTRIAL WRAPPINGS & COATINGS PTY LTD

ADDRESS: 49 Jedda Road, Prestons 2170 NSW Australia

TELEPHONE: 02 9608 8111 FAX: 02 8783 7055

