

# **MATERIAL SAFETY DATA SHEET**

## **FLEXI SEAL 1000**

## PRODUCT IDENTIFICATION

MANUFACTURER'S NAME: Australasian Industrial Wrappings & Coatings P/L

REGULAR TELEPHONE NUMBER: 02 9608 8111
 EMERGENCY TELEPHONE NUMBER: 0419 242 638
 FACSIMILE NUMBER: 02 8783 7055

• ADDRESS: 49 JEDDA ROAD, PRESTONS NSW 2170

PRODUCT NAME: FLEXI SEAL 1000.
 SYNONYMS: Flexi Seal Tape.

• MANUFACTURER'S CODE: 701 - - -

### **INGREDIENTS**

MATERIAL OR COMPONENT: NIL
 PERCENTAGE: NIL
 HAZARD DATA: n/a

### **PHYSICAL DATA**

CHEMICAL ENITY: Polythene Sheet with SBS/ Bitumen/

Polyisobutylene compound adhesive.

BOILING POINT: n/a
 SPECIFIC GRAVITY [H2 0.1] n/a
 VAPOUR DENSITY [AIR.1] n/a
 % VOLATILES BY VOLUME: <1</li>

APPEARANCE AND ODOUR:
 Black solid tape with no odour.

MELTING POINT: n/a
 VAPOUR PRESSURE: 98°C

SOLUBILITY IN H20[% BY WT]: n/a

EVAPORATION RATE [BUTYL

ACETATE.1]: n/a
FLAMM. LIMIT LEL: n/a

### FIRE AND EXPLOTION DATA

FLAMMABLE LIMITS IN AIR %

**BY VOLUME:** Greater than 250°C

• **EXTINGUISHING MEDIA:** Carbon Dioxide, dry powder, chemical foam.

SPECIAL FIRE FIGHTING

**PROCEDURES:** None known.

• UNUSUAL FIRE AND EXPLOSION

**HAZARD:** None known.

#### **AUSTRALASIAN INDUSTRIAL WRAPPINGS & COATINGS PTY LTD**

ADDRESS: 49 Jedda Road, Prestons 2170 NSW Australia

TELEPHONE: 02 9608 8111 FAX: 02 8783 7055

EMAIL: enquiries@aiwc.com.au WEB: www.aiwc.com.au





# **MATERIAL SAFETY DATA SHEET**

# **FLEXI SEAL 1000**

### **HEALTH & HAZARD INFORMATION**

HEALTH HAZARD DATA:

ROUTES OF EXPOSURE: No data supplied.

• **INHALATION**: No adverse effects expected.

SKIN CONTACT: Contact with skin may result in irritation.

• SKIN ABSORPTION: n/a

EYE CONTACT: May cause irritation.INGESTION: Not acutely toxic

EFFECTS OF OVER-EXPOSURE: n/a
 ACUTE OVEREXPOSURE: n/a
 CHRONIC OVER-EXPOSURE: n/a

## **EMERGENCY AND FIRST AID PROCEDURES:**

• **EYES**: Irrigate thoroughly with water

• **SKIN**: Wash thoroughly with soap and water

• **INHALATION**: n/a

• **INGESTION**: Do not induce vomiting

NOTES TO PHYSICIAN:
 Treat with symptomatically

## **SPILL OR LEAK DATA**

STEPS TO BE TAKEN IF MATERIAL

IS RELEASED: n/a

**OR SPILLED:** 

**NEUTRALIZING CHEMICALS:** n/a

**WASTE DISPOSAL METHOD:** No data supplied.

### **SPECIAL PROTECTION INFORMATION:**

**VENTILATION REQUIREMENTS:**No special requirements

**SPECIFIC PERSONAL PROTECTIVE** 

**EQUIPMENT:** None

**RESPIRATORY [SPECIFY IN DETAIL]:** n/a

EYE: n/a

#### **AUSTRALASIAN INDUSTRIAL WRAPPINGS & COATINGS PTY LTD**

ADDRESS: 49 Jedda Road, Prestons 2170 NSW Australia

TELEPHONE: 02 9608 8111

FAX: 02 8783 7055

EMAIL: enquiries@aiwc.com.au WEB: www.aiwc.com.au





# **MATERIAL SAFETY DATA SHEET**

## **FLEXI SEAL 1000**

**GLOVES**: Recommended for prolonged or repeated

handling. Grease resistant.

#### OTHER CLOTHING AND EQUIPMENT:

REACTIVITY DATA

**CONDITIONS CONRIBUTING** 

**TO INSTABILITY:** None known.

INCOMPATIBILITY: n/a

**HAZARDOUS DECMOMPOSTION** 

**PRODUCTS:** Carbon dioxide, carbon monoxide, oil fume.

SPECIAL PRECAUTIONS

**PRECAUTIONARY STATEMENTS:** FLEXI SEAL 1000 contains petroleum based

products which may affect the skin.

**USERS ARE RECOMMENDED TO**: Wash thoroughly after use and before work breaks to

remove compound from the skin.

Do not use paraffin or other solvents to clean the skin.

Change clothing when soiled.

# OTHER HANDLING AND STORAGE

**REQUIREMENTS**: Store in original packaging in a cool place away

from boilers or heaters

PREPARED BY: Roger McElhone

**ADDRESS**: 49 JEDDA ROAD, PRESTONS NSW 2170

**DATE**: 1st December 2019

#### **AUSTRALASIAN INDUSTRIAL WRAPPINGS & COATINGS PTY LTD**

ADDRESS: 49 Jedda Road, Prestons 2170 NSW Australia

TELEPHONE: 02 9608 8111 FAX: 02 8783 7055

EMAIL: enquiries@aiwc.com.au WEB: www.aiwc.com.au

